

GROWTH & TREATMENT FOR ANIMALS

WE ENSURE THE HEALTHY GROWTH OF YOUR ANIMALS



Unipharma's high quality animal feeding products provide the correct energy, protein, vitamins and minerals for optimal growth, performance and production.

— OVER —
70+
QUALITY
PRODUCTS

GROWTH PRODUCTS

- GOLDEN100
- UNISTRESS
- SILVER50
- UNIVITACHOL
- UNIVITA E+C
- UNIVITA B+
- UNIVITAM
- UNIMINT C
- UNITHOL
- UNI E + S
- C & M STRESS
- UNIGUARD
- UNI-IMUNE
- UNI AD3E+K
- LIVER TONIC
- CALFOS60
- V8 ANTIVIRAL

TREATMENT PRODUCTS

- UNICIPROX
- UNIDOX
- UNIFLO
- UNIFLOX
- UNIFLOX COLISTIN
- UNITHRO
- UNITIL
- UNICOX AMPROLIUM
- UNIDOX TYLOSIN
- UNIMOX FORTE
- UNIMOX GENTAMICIN
- UNIOXY NEOMYCIN
- UNIQUIN COLISTIN
- UNISULPHA GENTAMICIN
- UNISULPHA +K3
- UNITHRO +2
- UNITHRO FORTE
- UNITHRO PLUS
- UNISPIRA 20
- UNISPIRA +3

INJECTION PRODUCTS

- UNIMECTIN
- VITAPHOS12
- UNITYL20
- UNIMOX15
- UNIGENTA10
- UNISAN10
- UNIFLOR30
- VITARON40
- UNIOX10
- UNIFLOX10
- UNISPECTIN15
- UNISUDIN333
- UNIDEXAM
- UNALGIN50

FEED ADDITIVES

- UNI-LINCO P44
- UNI-TOXIN
- UNIPHOS
- UNI-TYLO P10%
- UNIPHARMA DCP 18%
- UNI-CHOL 60
- UNICID
- PREMIXES

DISINFECTANT

- UNIDINE
- D-CONTROL
- UNI-CHEM
- UNICLEAN

FISH PRODUCTS

- GROWFAST
- UNI C & E
- UNI-CIPRO CURE
- UNI-FLO CURE
- UNI-OXY CURE
- UNI-T GAS STOP
- UNI-T STOP +
- UNI-VITA M+AM 100
- UNI-VITA AM 101
- UNI-VITA M+AM 102
- UNI-VITA M+AM 103
- UNI-VITA M+AM 104



At **UNI PHARMA**, our understanding of nutrition, health, welfare, productivity and agribusiness drives our innovative and quality feeding products.

Uni Pharma is a fast-growing organization that expanded as a result of vigorous internal growth coupled with several acquisitions over the past few years. We believe we will continue to grow because we offer unmatched benefits to our customers and partners from organizations all around the globe.

Golden 100

For the improvement in animals' performance and growth.

COMPOSITION

Each 1L contains:

Vitamin A	100,000,000 I.U.
Vitamin D3	20,000,000 I.U.
Vitamin E	40,000 I.U.

INDICATIONS

- Improves of egg production and hatchability.
- Prevention of stress and strengthen of resistance to the diseases.
- Prevention of osteomalacia.
- Promotion of growth rates and improvement of feed efficiency.

DOSAGE

Poultry: 1ml / 4L drinking water.

Cattle: 2ml / 80kg b. wt. for 3-5 days.

Calves, Sheeps and Goats: 1ml / 50kg b. wt. for 3-5 days.

Camels: 10ml / 500kg b. wt. for 3-5 days.

PACKING

GOLDEN100 is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP001

Unistress

The heat stress solution for inactive and lethargic animals.

COMPOSITION

Each 1gm contains:

Vitamin C	150 mg
Sodium Chloride	25 mg
Potassium Chloride	50 mg
Acetylsalicylic Acid	50 mg

INDICATIONS

- Minimize harmful effect of high temperature on performance of broiler chicks and layer hens.
- Has beneficial effects on FCR, serum antibody development and ratio of weight of bursa, thymus and spleen to body weight of heat-stressed birds.
- Improved egg quality, increased sperm quality, fertility, hatchability and production during heat stress condition.
- Increase bioavailability and growth rate of the bird.
- Enhance resistance to disease by improving the immune system.
- Neutralize mycotoxins in case of mycotoxin stress and keep the blood PH.

DOSAGE

Poultry: 250-500gm per 1000L of drinking water.
Sheeps and Goats: 1gm / 10kg b.wt.
Cattles: 6gm / 100kg b.wt.
Camels: 30gm / 500kg b.wt.

PACKING

UNISTRESS is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Growth
Product Code	UNIGP003



Silver 50

For the promotion of animals' growth rates and feed efficiency.

COMPOSITION

Each 1L contains:

Vitamin A	50,000,000 I.U.
Vitamin D3	10,000,000 I.U.
Vitamin E	10,000 I.U.

INDICATIONS

- Improves of egg production and hatchability.
- Prevention of stress and strengthen of resistance to the diseases.
- Prevention of osteomalacia.
- Promotion of growth rates and improvement of feed efficiency.

DOSAGE

Poultry: 1ml / 2L drinking water.
Cattle: 4ml / 80kg b. wt. for 3-5 days.
Calves, Sheeps and Goats: 3ml / 50kg b. wt. for 3-5 days.
Camels: 30ml / 500kg b. wt. for 3-5 days.

PACKING

SILVER50 is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Liquid
Category	Growth
Product Code	UNIGP004



Univitachol

The solution to prevent and improve avitaminosis in animals.

COMPOSITION

Each 1L contains:

Vitamin A	100,000,000 I.U.	Vitamin B12	15,000 mcg
Vitamin D3	20,000,000 I.U.	Vitamin E	40,000 I.U.
Vitamin B1	3,000 mg	Vitamin C	50,000 mg
Vitamin B2	2,000 mg	Vitamin K	3,000 mg
Vitamin B6	2,000 mg	Nicotinamide	20,000 mg
Calcium pantothenate	10,000 mg	Choline	50,000 mg

INDICATIONS

Prevention and improvement of avitaminosis, specially indicated in young animals in their growing period, pregnant or lactating animals, stress or vitamin deficiencies in feed.

DOSAGE

Poultry: 1ml / 4L of drinking water.

Cattle: 2ml / 80kg b. wt. for 3-5 days.

Calves, Sheeps & Goats: 1ml / 50kg b. wt. for 3-5 days.

Camels: 10ml / 500kg b. wt. for 3-5 days.

PACKING

UNIVITACHOL is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP004

Univita E+C

Improvement of animals' immune system against infections.

COMPOSITION

Each 1L contains:

Vitamin C	100,000 mg
Vitamin E	50,000 mg
Sodium Selenite	2,300 mg

INDICATIONS

- Improve the immune system in viral, bacterial infection and in mycotoxicosis
- In case of ecephalomalacia (crazy chick), haemorrhagic oedema, testicular degeneration, and muscular dystrophy
- Increase fertility, hatchability and egg production.
- Used as antioxidant.
- Increase fertility, and in case of oligospermia, habitual abortion, muscular dystrophy and oedema.

DOSAGE

Poultry: 1ml / 3L of drinking water.

Cattle: 2ml / 80kg b. wt. for 3-5 days.

Calves, Sheeps and Goats: 1ml / 50kg b. wt. for 3-5 days.

Camels: 10ml / 500kg b. wt. for 3-5 days.

PACKING

UNIVITA E+C is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP005

Univita B+

As a nutritional source of B complex vitamins for animals.

COMPOSITION

Each 1L contains:

Vitamin B1	5,000 mg
Vitamin B2	10,000 mg
Vitamin B6	5,000 mg
Vitamin B12	20,000 mcg
Nicotinic acid	20,000 mg
Calcium pantothenate	10,000 mg
Biotin	20,000 mcg
Vitamin C	70,000 mg

INDICATIONS

Vitamin complement specially recommended in young animals in their growing period, animals in lactation, pregnancy, stress and vitamin deficiencies in feed.

DOSAGE

Poultry: 1ml / 2L drinking water.

Cattle: 2ml / 80kg b. wt. for 3-5 days.

Calves, Sheeps and Goats: 1ml / 50kg b. wt. for 3-5 days.

Camels: 10ml / 500kg b. wt. for 3-5 days.

PACKING

UNIVITA B+ is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP006

Univitam

A well-balanced formula of vitamins and amino acids.

COMPOSITION

Each 1L contains:

Vitamin A	10,000,000 IU	Vitamin C	10,000 mg
Vitamin D3	2,000,000 IU	Nicotinic acid	30,000 mg
Vitamin E	10,000 mg	Pantothenic acid	1,000 mg
Vitamin K3	1,000 mg	Folic acid	500 mg
Vitamin B1	1,000 mg	DL-methionine	20,000 mg
Vitamin B2	5,000 mg	L-therionine	1,000 mg
Vitamin B6	2,000 mg	L-lysine	10,000 mg
Vitamin B12	100 mg	L-tryptophane	1,000 mg
Biotin	500 mg	Propylene Glycol	50,000 mg

INDICATIONS

UNIVITAM is a balanced formula concerning amino acids and vitamins for prevention and improvement of their deficiency symptoms.

- enhances weight gain and egg production.
- helps the poultry to overcome stress condition especially heat stress.

DOSAGE

Poultry: 1ml / 4L drinking water.

Cattle: 2ml / 80kg b. wt. for 3-5 days.

Calves, Sheeps and Goats: 1ml / 50kg b. wt. for 3-5 days.

Camel: 10ml / 500kg b. wt. for 3-5 days.

PACKING

UNIVITAM is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP007

Unimint C

As a nutritional source for respiratory infections.

COMPOSITION

Each 1L contains:

Vitamin C	10,000 mg
Menthol	40,000 mg
Eucalyptus	40,000 mg

INDICATIONS

UNIMINT C is indicated in respiratory infections in poultry such as bronchitis, and cases of bronchopneumonia in cattle and horses.

UNIMINT C relaxes the smooth muscle, removes the congestion, enhances the expectoration, dries the post nasal drip, increases the bronchial dilation and takes care of any possible allergy.

DOSAGE

250 ml per 1000L of drinking water or as advised by a veterinarian.

PACKING

UNIMINT C is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP008

Unithol

Effective against respiratory infections in poultry.

COMPOSITION

Each 1L contains:

Bromhexine	20,000 mg
Menthol	40,000 mg
Eucalyptus	40,000 mg

INDICATIONS

UNITHOL is indicated in respiratory infections in poultry such as bronchitis, and cases of bronchopneumonia in cattle and horses. UNITHOL benefits are:

- Relaxes the smooth muscle
- Removes the congestion
- Enhances the expectoration
- Dries the post nasal drip
- Increases the bronchial dilation
- Takes care of any possible allergy.

DOSAGE

250 ml per 1000L of drinking water or as advised by a veterinarian.

PACKING

UNITHOL is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP009

Uni E + S

A source to help maintain the structural integrity of tissues.

COMPOSITION

Each 1L contains:

Vitamin E	100,000 mg
Sodium Selenite	2,300 mg
Solvents ad	1 ltr

INDICATIONS

- Vitamin E deficiencies (like encephalomalacia, muscular dystrophy, exudative diathesis, decreased hatchability in eggs, infertility problems) in calves, cattles, goats, poultry, and sheeps.
- Improve the immune system, increase the fertility in case of Oligospermia and habitual abortion.

DOSAGE

Poultry: 1ml / 4L drinking water.

Cattle: 2ml / 80kg b. wt. for 3-5 days.

Calves, Sheeps and Goats: 1ml / 50kg b. wt. for 3-5 days.

Camels: 10ml / 500kg b. wt. for 3-5 days.

PACKING

UNI E + S is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP010

C & M Stress

The heat stress solution and immune response improvement.

COMPOSITION

Each 1L contains:

Vitamin C	200,000 mg
Menthol	20,000 mg

INDICATIONS

Designed for all breeds and production groups of poultry:

- Vitamin C deficiency.
- In case of stress caused by hot or cold weather.
- Relaxes the smooth muscles, removes the congestion, enhances the expectoration, dries the post nasal drip, increases the bronchial dilation and takes care of any possible allergy.
- In case of stress caused by vaccination or transportation.
- Improves immune response and enhances weight gain.

DOSAGE

Poultry: 1ml / 4L drinking water.

Cattle: 3ml / 80kg b. wt. for 3-5 days.

Calves, Sheeps and Goats: 2ml / 50kg b. wt. for 3-5 days.

Camel: 20ml / 500kg b. wt. for 3-5 days.

PACKING

C & M STRESS is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP011

Uniguard

A nutritional source to prevent fatty liver syndromes.

COMPOSITION

Each 1L contains:

L.Carnitine	15,000 mg
Betaine	25,000 mg
Magnasium Sulphate	20,000 mg
Propionic Acid	20,000 mg
Sodium Propionic Acid	50,000 mg
Propylene Glycol	120,000 mg
Sorbitol	1,000 mg
Vitamin E	2,500 mg
Selenium	5,000 mg
Zinc	5,000 mg

INDICATIONS

- Controls excess moisture in the finished feed.
- Broad spectrum mould inhibitor.
- Improves liver function and prevents fatty liver syndromes.
- Prevents the multiplication of pathogenic bacteria in the gut.
- Helps for non interrupted growth and stable egg production.

DOSAGE

Poultry: 1ml / 2-4L of drinking Water (or) as advised by a veterinarian.

PACKING

UNIGUARD is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Liquid
Category	Growth
Product Code	UNIGP012



Liver Tonic

Broad spectrum nutrients to improve the animals' liver function.

COMPOSITION

Each 1L contains:

Vitamin E	5,000 mg
Sorbitol	30,000 mg
Natrium Propionate	25,000 mg
Ammonium Propionate	20,000 mg
Calcium Propionate	20,000 mg
DL-Methionine	10,000 mg
L-Lysine	10,000 mg
Threonine	2,000 mg
Potassium Chloride	5,000 mg
Ammonium Chloride	5,000 mg

INDICATIONS

- Controls excess moisture in the finished feed.
- Broad spectrum mould inhibitor / Improves liver function and prevents fatty liver syndromes.
- Prevents the multiplication of pathogenic bacteria in the gut.
- Helps for non interrupted growth and stable egg production.

DOSAGE

Poultry: 1 ml per 6L of drinking water or as advised by a veterinarian.

PACKING

LIVER TONIC is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Liquid
Category	Growth
Product Code	UNIGP019



Uni-AD3E + K

A dietary vitamins for the animals' growth rate improvement.

COMPOSITION

Each 1L contains:

Vitamin A	25,000,000 I.U.
Vitamin D3	250,000 I.U.
Vitamin E	15,000 mg
Vitamin K3	2500 mg

INDICATIONS

Designed for all breeds and production groups of poultry:

- in deficiency of vitamin dissolvable in fat,
- most intensive growth period,
- after treatment,
- after zootechnical procedure.

DOSAGE

Poultry: 1ml / 2-4L of drinking Water (or) as advised by a veterinarian.

PACKING

UNI-AD3E+K is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP018

Uni-Immune

The optimum function of muscular and immune system.

COMPOSITION

Each 1L contains:

Vitamin E	200,000 mg
Zinc Sulphate	430 mg
Selenium	150 mg

INDICATIONS

- Vitamin E deficiencies (like encephalomalacia, muscular dystrophy, exudative diathesis, decreased hatchability in eggs, infertility problems) in calves, cattles, goats, poultry, and sheeps.

- Prevention of iron-intoxication after administration of iron to piglets.

DOSAGE

Poultry: 1 ml per 6L of drinking water or as advised by a veterinarian.

PACKING

UNI-IMUNE is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP013

Calfos60

Essential for faster growth and increased weight.

COMPOSITION

Each 1L contains:	
Phosphoric Acid	60,000 mg
Calcium Chloride	40,000 mg
Magnesium Sulphate	10,000 mg
Zinc Sulphate	10,000 mg
Distilled water up to	1,000 ml

INDICATIONS

- Increase the egg production.
- Achieve faster growth and increased weight in broilers.
- Prevents cases of rachitis (rickets) and hypocalcemia.
- Increases appetite in broilers.
- Achieve better absorption of feed through the digestive system.
- Stimulates the metabolism.
- Increase the hardness of eggs shell.

DOSAGE

500ml per 1000 litre of drinking water or as advised by a veterinarian.

PACKING

CALFOS60 is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP020

V8 Antiviral

Nutritional herbal remedies for various animal diseases.

COMPOSITION

Animals have an inherent instinct for herbal medication of their health problems. The V8, that consists of herbs like Isatis, Scutellaria, Forsythia, and Dyers Woad Leaf have medicinal values to treat various diseases that can affect animals.

INDICATIONS

The V8 is used to treat virus diseases of common cold, influenza, Newcastle disease (ND), infectious bronchitis (IB), etc.

It can treat cold-pungent diaphoresis, function as heat-clearing, eliminate the microorganisms that cause diseases, serve as an anti-inflammation agent and enhance the immune system.

DOSAGE

500ml / 1000L of drinking water or as advised by a veterinarian.

PACKING

V8 ANTIVIRAL is packed in 500ml bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Growth
Product Code	UNIGP017



Unicirprox

Fights Gram-positive and Gram-negative bacterias.

COMPOSITION

Each 1L contains:
Ciprofloxacin 100,000 mg

INDICATIONS

- Prevention and treatment of following disease caused by bacteria susceptible to Ciprofloxacin in E. coli, Salmonella spp., Hemophilus spp., Pasteurella spp., Staphylococcus spp.
- Poultry: CRD, CCRD, Colibacillosis, Salmonellosis, Battery disease, Peritonitis.
- Prevention and treatment of secondary bacterial infections in viral disease.
- Duck: Infectious serositis of duck. (Pasteurella anatipestifer infection)

DOSAGE

Poultry: 1 ml / 2L of drinking water continuously for 3-5 days.
Calves & Lambs: 1 ml / 20kg b.w. continuously for 3-5 days.

PACKING

UNICIPROX is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Treatment
Product Code	UNITP001

Unidox

The solution to prevent and treat chronic respiratory disease.

COMPOSITION

Each 1L contains:
Doxycycline 100,000 mg

INDICATIONS

- Chickens (Broiler): Prevention and treatment of complicated chronic respiratory disease (C.R.D.), pure mycoplasmosis, colibacillosis and pasteurellosis.
- Pigs: Treatment of porcine respiratory disease caused by Pasteurella multocida, Bordetella bronchiseptica and/or Mycoplasma hyopneumoniae.

DOSAGE

Poultry: Preventive:
1 ml per 2L of drinking water.
Treatment: 1 ml per 1L of drinking water during 3-5 days.

PACKING

UNIDOX is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Treatment
Product Code	UNITP002

Uniflo

Treats gastrointestinal and respiratory tract infections.

COMPOSITION

Each 1L contains:
Florfenicol 100,000 mg

INDICATIONS

Treatment of gastrointestinal and respiratory tract infections caused by florfenicol sensitive micro-organisms such as Actinobaccillus spp., Pasteurella spp., Salmonella spp. and Streptococcus spp. in poultry.

DOSAGE

Poultry: Preventive:
1 ml per 4 Liter drinking water .
Treatment: 1 ml per 1 Liter drinking water during 3–5 days.

PACKING

UNIFLO is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Treatment
Product Code	UNITP003

Uniflox

Treats infections such as CRD, CCRD and salmonellosis.

COMPOSITION

Each 1L contains:
Enrofloxacin 100,000 mg

INDICATIONS

Prevention and treatment of CRD, CCRD, colibacillosis, salmonellosis, pasteurellosis and infectious coryza (Treatment of Mycoplasma, Salmonella spp and E. coli)

DOSAGE

Poultry: Preventive:
1 ml per 4L of drinking water.
Treatment: 1 ml per 1L of drinking water during 3–5 days.

PACKING

UNIFLOX is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Treatment
Product Code	UNITP004

Uniflox Colistin

Treats gastrointestinal, respiratory and urinary tract infections.

COMPOSITION

Each 1L contains:
Enrofloxacin 100,000 mg
Colistin sulphate 2,000,000 I.U.

INDICATIONS

Indicated for gastrointestinal, respiratory and urinary tract infections caused by colistin and enrofloxacin sensitive micro-organisms like Campylobacter, E. coli, Haemophilus, Mycoplasma, Pasteurella and Salmonella spp. in poultry.

DOSAGE

Poultry: Preventive: 1 ml per 4L of drinking water.
Treatment: 1 ml per 2L of drinking water during 3–5 days.

PACKING

UNIFLOX COLISTIN is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Treatment
Product Code	UNITP005

Unithro

Treats chronic respiratory disease, coryza and bluecomb.

COMPOSITION

Each 1L contains:
Erythromycin 270,000 mg

INDICATIONS

IN BROILERS AND REPLACEMENT CHICKENS:

CHRONIC RESPIRATORY DISEASE: As an aid in the control of Chronic Respiratory Disease due to Mycoplasma gallisepticum susceptible to erythromycin.

IN REPLACEMENT CHICKENS AND CHICKEN BREEDERS:

INFECTIOUS CORYZA: As an aid in the control of Infectious Coryza due to Haemophilus gallinarum susceptible to erythromycin.

IN GROWING TURKEYS:

BLUECOMB: As an aid in the control of Bluecomb (Non-specific Infectious Enteritis) caused by organisms susceptible to erythromycin.

DOSAGE

Poultry: Preventive: 1 ml per 4L of drinking water.
Treatment: 1 ml per 2L of drinking water during 3–5 days.

PACKING

UNITHRO is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Treatment
Product Code	UNITP006

Unitil

Prevents and treats bovine respiratory diseases.

COMPOSITION

Each 1L contains:
Tilmicosin (as Tilmicosin Phosphate) 150,000 mg

INDICATIONS

Treatment of the following respiratory diseases caused by sensitive to Tilmicosin.
Chickens: Mycoplasma gallisepticum, Mycoplasma synoviae.

DOSAGE

Poultry: Preventive: 1 ml per 4L of drinking water.
Treatment: 1 ml per 2L of drinking water during 3–5 days.

PACKING

UNITIL is packed in 500ml and 1L bottles.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Treatment
Product Code	UNITP007

Unicox Amprolium

A coccidiostat agent to stop the infectious process of coccidiosis.

COMPOSITION

Each 1gm contains:
Amprolium hydrochloride 300 mg

INDICATIONS

UNICOX AMPROLIUM is indicated for coccidiosis caused by coccidia susceptible to amprolium (Eimeria spp.), or gastro-intestinal infections for which it is therapeutically or prophylactically indicated to administer amprolium, in calves, goats, sheep and poultry.

DOSAGE

Poultry: 1 gm per 4L of drinking water.
Treatment: 1 gm per 2L of drinking water during 5–7 days.

PACKING

UNICOX AMPROLIUM is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Treatment
Product Code	UNITP008

Unidox Tylosin

Prevents and treats respiratory and digestive diseases.

COMPOSITION

Each 1gm contains:
Doxycycline 100mg
Tylosin phosphate 120mg

INDICATIONS

Specific treatment of respiratory and digestive diseases.

- Poultry: CRD, laryngotracheitis infections, E.coli, coryza, mournful breathing difficulty, diarrhea with green, white and viscous scours.
- Animal: Enteritis, diarrhea with white and yellow, leptospirosis, pneumonia, pasteurellosis.

DOSAGE

Poultry: Preventive: 1 gm per 4 Liter of drinking water.
Treatment: 1 gm per 2 Liter of drinking water during 3–5 days.

PACKING

UNIDOX TYLOSIN is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Treatment
Product Code	UNITP009



Unimox Forte

Treats alimentary, respiratory and urogenital tracts.

COMPOSITION

Each 1gm contains:
Amoxycillin 500 mg
Carrier ad 1 mg

INDICATIONS

UNIMOX FORTE is indicated for the treatment of infections of alimentary, respiratory and urogenital tracts caused by gram-positive and gram-negative bacteria such as: E.coli, Clostridia, Salmonella, Proteus, Coryne bacteria, Listeria, Pasteurella, Staphylococci and Streptococci.

DOSAGE

Poultry: Preventive: 1 gm per 8L of drinking water.
Treatment: 1 gm per 4L of drinking water during 3–5 days.

PACKING

UNIMOX FORTE is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Treatment
Product Code	UNITP010



Unimox Gentamicin

Treats alimentary, respiratory and urogenital tracts.

COMPOSITION

Each 1gm contains:
Amoxycillin (as Trihydrate) 150 mg
Gentamicin Sulphate 100 mg

INDICATIONS

UNIMOX GENTAMICIN is indicated for treatment of infections of alimentary, respiratory, and urogenital tracts caused by gram-positive and gram-negative bacteria such as: E.coli, Clostridia, Salmonella, Proteus, Coryne bacteria, Listeria, Pasteurella, Staphylococci, Streptococci., Pseudomonas and Klebsiella.

DOSAGE

Poultry: Preventive: 1 gm per 4L of drinking water.
Treatment: 1 gm per 2L of drinking water during 3–5 days.

PACKING

UNIMOX GENTAMICIN is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Treatment
Product Code	UNITP011



Unioxy Neomycin

Treats mycoplasma, gram-positive & gram-negative bacterias.

COMPOSITION

Each 1gm contains:
Oxytetracycline HCl 150 mg
Neomycin Sulphate 100 mg

INDICATIONS

- Highly effective against Mycoplasma, gram-positive bacteria, and gram-negative bacteria.
- Indicated for treatment G.I.T., urinary tract, respiratory infections, enteritis and diarrhea caused by bacterial infection in poultry and other animals.
- Used for treatment of Air Sacculitis, Omphalitis, Infectious Sinusitis, Infectious Synovitis, CRD, Coryza, E.coli, Salmonella, Pasteurella, Clostridia, Rickettsia, Chlamydia, and Anaplasma.

DOSAGE

Poultry: Preventive: 1 gm per 4L of drinking water.
Treatment: 1 gm per 2L of drinking water during 3–5 days.

PACKING

UNIOXY NEOMYCIN is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Treatment
Product Code	UNITP012



Uniquin Colistin

A quinolone antibiotic used to treat gram-negative bacterias.

COMPOSITION

Each 1gm contains:
Flumequine 100 mg
Colistin sulphate 200,000 IU

INDICATIONS

Flumequine belongs to the group of quinolones and acts bactericidal against mainly Gram-negative bacterias like Campylobacter, E. coli, Haemophilus, Pasteurella and Salmonella spp.

Gastrointestinal, respiratory and urinary tract infections caused by flumequine sensitive micro-organisms, like Campylobacter, E. coli, Haemophilus, Pasteurella and Salmonella spp. in calves, goats, poultry, and sheep.

DOSAGE

Poultry: Preventive: 1 gm per 4L of drinking water.
Treatment: 1 gm per 2L of drinking water during 3–5 days.

PACKING

UNIQUIN COLISTIN is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Treatment
Product Code	UNITP013



Unisulpha Gentamicin + C

Treats alimentary, respiratory and urogenital infections.

COMPOSITION

Each 1gm contains:
Sulfadiazine 90 mg
Trimethoprim 20 mg
Gentamicin Sulphate 100 mg
Vitamin C 50 mg

INDICATIONS

Treatment of infections of alimentary, respiratory, and urogenital tracts caused by gram- positive and gram- negative bacteria such as : E.coli, Clostridia, Salmonella, Proteus, Coryne bacteria, Listeria, Pasteurella, Staphylococci , Streptococci., Pseudomonas and Klebsiella.

DOSAGE

Poultry: Preventive: 1 gm per 4L of drinking water.
Treatment: 1 gm per 2L of drinking water during 3–5 days.

PACKING

UNISULPHA GENTAMICIN + C is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Treatment
Product Code	UNITP014



Unisulpha +K3

Treats complex bovine respiratory and pneumonia diseases.

COMPOSITION

Each 1gm contains:
Sulfadiazine 150 mg
Trimethoprim 30 mg
Vitamin K3 40 mg

INDICATIONS

FOR THE TREATMENT OF: Cattle - Bacterial Pneumonia and Bovine Respiratory Disease Complex (Shipping Fever Complex) (Pasteurella spp.), Colibacillosis (Bacterial Scours) (Escherichia coli), Necrotic Pododermatitis (Foot Rot) (FusobacterI.U.m necrophorum), Calf Diphtheria (FusobacterI.U.m necrophorum), Acute Metritis (Streptococcus spp.). **Beef Cattle** - Acute Mastitis **Swine** - Porcine

FOR THE CONTROL OF: Chickens - Infectious Coryza (Haemophilus gallinarum), Coccidiosis (Eimeria tenella, Eimeria necatrix), Acute Fowl Cholera (Pasteurella multocida), Pullorum Disease (Salmonella pullorum) **Turkeys** - Coccidiosis (Eimeria meleagrimitis, Eimeria adenoeides)

DOSAGE

Poultry: Preventive: 1 gm per 4L of drinking water.
Treatment: 1 gm per 2L of drinking water during 3–5 days.

PACKING

UNISULPHA + K3 is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Treatment
Product Code	UNITP015



Unithro +2

Prevents and treats chronic respiratory disease (CRD).

COMPOSITION

Each 1gm contains:
Erythromycin 90mg
Sulfadiazine 75mg
Trimethoprim 15mg

INDICATIONS

Poultry and Duck:
Prevention and treatment of Chronic Respiratory Disease (CRD), bronchopneumonia, fowl typhoid, salmonellosis, colibacillosis, fowl cholera, and enteritis.

DOSAGE

Poultry: Preventive: 1 gm per 4L of drinking water.
Treatment: 1 gm per 2L of drinking water during 3–5 days.

PACKING

UNITHRO +2 is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Treatment
Product Code	UNITP016



Unithro Forte

Treats chronic respiratory disease (CRD), coryza and bluecomb.

COMPOSITION

Each 1gm contains:
Erythromycin 350 mg

INDICATIONS

IN BROILERS & REPLACEMENT CHICKENS: CHRONIC RESPIRATORY DISEASE:
As an aid in the control of Chronic Respiratory Disease due to Mycoplasma gallisepticum susceptible to erythromycin.

IN REPLACEMENT CHICKENS AND CHICKEN BREEDERS: INFECTIOUS CORYZA:
As an aid in the control of Infectious Coryza due to Haemophilus gallinarum susceptible to erythromycin.

IN GROWING TURKEYS: BLUECOMB:
As an aid in the control of Bluecomb (Non-specific Infectious Enteritis) caused by organisms susceptible to erythromycin.

DOSAGE

Poultry: Preventive: 1 gm per 4L of drinking water.
Treatment: 1 gm per 2.5L of drinking water during 3–5 days.

PACKING

UNITHRO FORTE is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Treatment
Product Code	UNITP017



Unithro Plus

Prevents and treats various bacterial infections.

COMPOSITION

Each 1gm contains:
Erythromycin 120 mg
Colistin Sulphate 500,000 I.U.
Bromhexine HCl 5 mg

INDICATIONS

- UNITHRO PLUS is highly active against infections caused by gram- positive bacteria , gram- negative bacteria and Mycoplasma.
- UNITHRO PLUS is indicated for treatment of respiratory diseases: Mycoplasmosis, CRD, Coryza, Sinusitis, Infectious Synovitis and bronchitis in poultry.

DOSAGE

Poultry: Preventive: 1 gm per 4L of drinking water.
Treatment: 1 gm per 2L of drinking water during 3–5 days.

PACKING

UNITHRO PLUS is packed in 100gm bottles and 500gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Treatment
Product Code	UNITP018



Unispira 20

Antibacterial action to treat toxoplasmosis.

COMPOSITION

Each 1gm contains:
Spiramycin 200 mg

INDICATIONS

Is indicated for prevention and treatment of infectious symptoms provoked by germans Gram positive, Gram negative, mycoplasmosis and Rickettsias.
- In Poultry: for the treatment of Mycoplasmosis, CRD (Mucoplasma gallisepticum), infectious sinovitis (Mucoplasma synovi) and arthritis.
- In Turkeys: for the treatment of infectious sinusitis (Mucoplasma meleagridis).

DOSAGE

For Poultry & Turkeys:
600gm per 1000L of drinking water.

PACKING

UNISPIRA 20 is packed in 600gm jars.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Treatment
Product Code	UNITP019



Unispira +3

Bacteriostatic action against various bacterias.

COMPOSITION

Each 1gm contains:
Spiramycin 80 mg
Tylosin 80 mg
Colistin Sulfate 600,000 I.U.
Menthol 20 mg

INDICATIONS

For the treatment and prevention of colibacillosis, sinusitis, CRD, synovitis caused by E.coli, mycoplasma and other respiratory infection. Increase resistance in stress condition or viral disease.

DOSAGE


For Poultry & Turkeys: 500gm (Jar 1) + 200gm (Jar 2) per 1000Lof drinking water.

PACKING

UNISPIRA +3 is packed in 500gm jar + 200gm jar.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Treatment
Product Code	UNITP020



Unimectin

A family of potent, broad-spectrum antiparasitic agents.

COMPOSITION

Each 1 ml contains:
Ivermectin 200 mg

INDICATIONS

For the treatment and control of gastrointestinal immature and adult round worm's lung worms both adult and fourth-stage larvae of dictyocaulus viviparous liver flukes immature and adult fasciola hepatica & fasciola gigantica eye worm thelazia Ectoparasites (dermatobia hominis, psoroptes bovis) including sucking ticks & mites.

DOSAGE

For subcutaneous administration.
Sheep, goat, cattle: 1ml per 50kg of body weight.

PACKING

UNIMECTIN is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Injectables
Product Code	UNII001

Vitaphos 12

A source of vitamin B12 and phosphorus.

COMPOSITION

Each 1 ml contains:
Butaphosphan 100 mg
Vitamin B12(cyanocobalamin) 50 mcg
Methyl hydroxybenzoate 0.1% w/v
Water for injection Q.S.

INDICATIONS

VITAPHOS 12 especially used in situations of metabolic disordersresulting from poor nutrition, inadequate management or diseases,developmental and nutritional disorders in young animals resultingfrom diseases during the period of growth, used VITAPHOS 12 as asupport of muscular physiology as an effective tonic in cases of stress, over-exertion, exhaustion and reduced resistance.

DOSAGE

For intravenous, intramuscular or subcutaneous administration.
Cattle, horses: 10ml per animal (only Intravenously)
Sheep, goats: 5ml per animal

PACKING

VITAPHOS 12 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Injectables
Product Code	UNII002

Unityl 20

A wide spectrum of activity against gram-positive bacterias.

COMPOSITION

Each 1 ml contains:
Tylosin base 200 mg

INDICATIONS

In lactating cattle UNITYL20 Injection is indicated for use in the treatment of bovine respiratory complex (shipping fever, pneumonia) usually associated with pasteurella multocida and actinomyces pyogenes, foot rot (necrotic pododermatitis), metritis caused by actinomyces pyogenes, mastitis caused by streptococcus and staphylococcus species, associated with viral diseases and infected wounds.

DOSAGE

For intramuscular administration.
Sheep, goat, cattle: 1ml per 20kg body weight for 3-5 days.

PACKING

UNITYL 20 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Injectables
Product Code	UNII003

Unimox 15

Broad-spectrum aminopenicillin to treat bacterial infections.

COMPOSITION

Each 1 ml contains:
Amoxicillin 150 mg
Solvents ad 1 ml

INDICATIONS

Gastrointestinal, respiratory and urinary tract infections caused by amoxicillin sensitive micro-organisms, like Campylobacter, Clostridium, Corynebacterium, E. coli, Erysipelothrix, Haemophilus, Pasteurella, Salmonella, penicillinase negative Staphylococcus and Streptococcus spp. in calves, cattle, goats and sheep.

DOSAGE

For intramuscular administration.
1 ml per 10 kg body weight, repeatable if necessary after 48 hours.

PACKING

UNIMOX15 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Injectables
Product Code	UNII004

Unigenta 10

For the control of gastrointestinal and bovine respiratory disease.

COMPOSITION

Each 1 ml contains:
Gentamicin base 100 mg
Solvents ad 1 ml

INDICATIONS

Gastrointestinal and respiratory infections caused by gentamicin sensitive bacteria, like E. coli, Klebsiella, Pasteurella and Salmonella spp. in calves, cattle, goats, and sheeps. The side effects include; hypersensitivity reactions and high and prolonged application may result in neurotoxicity, ototoxicity or nephrotoxicity.

DOSAGE

For intramuscular administration.
Twice daily 1 ml per 20 - 40 kg body weight for 3 days.

PACKING

UNIGENTA 10 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Liquid
Category	Injectables
Product Code	UNII005



Uniflox 10

A synthetic chemotherapeutic agent to treat bacterial infections.

COMPOSITION

Each 1 ml contains:
Enrofloxacin 100 mg
Solvents ad 1 ml

INDICATIONS

Gastrointestinal and respiratory tract infections caused by enrofloxacin sensitive micro-organisms like Campylobacter, E. coli, Haemophilus, Mycoplasma, Pasteurella and Salmonella spp. in calves, cattle, goats, and sheep.

DOSAGE

For intramuscular or subcutaneous administration.
1 ml per 20 - 40 kg body weight for 3-5 days.

PACKING

UNIFLOX 10 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Liquid
Category	Injectables
Product Code	UNII006



Uniflor 30

For the indication of respiratory tract infections.

COMPOSITION

Each 1 ml contains:
Florfenicol 300 mg
Solvents ad 1 ml

INDICATIONS

UNIFLOR30 is indicated for preventive and therapeutic treatment of respiratory tract infections in cattle due to Mannheimia haemolytica, Pasteurella multocida and Histophilus somni. It is additionally indicated for treatment of acute outbreaks of respiratory disease in pigs caused by strains of Actinobacillus pleuropneumoniae and Pasteurella multocida susceptible to florfenicol.

DOSAGE

For subcutaneous or intramuscular administration.
1 ml per 20 kg body weight for 3-5 days.

PACKING

UNIFLOR 30 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Injectables
Product Code	UNII007

Vitaron 40

Treats anaemia or other iron deficiencies related illnesses.

COMPOSITION

Each 1 ml contains:
Iron (as iron dextran) 200 mg
Vitamin B12 200 µg
Solvents ad 1 ml

INDICATIONS

Iron dextran is used for prophylaxis and treatment of by iron deficiency caused anaemia in cattles and calves. Parenteral administration of iron has the advantage that the necessary amount of iron can be administered in one single dosage. Cyanocobalamin is used for prophylaxis and treatment of by cyanocobalamin deficiency caused anaemia.

DOSAGE

For subcutaneous or intramuscular administration.
1 ml per 10 kg body weight for 3-5 days.

PACKING

VITARON 40 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Injectables
Product Code	UNII008

Uniox 10

Solution for arthritis, gastrointestinal & respiratory infections.

COMPOSITION

Each 1 ml contains:
Oxytetracyclinebase 100 mg
Solvents ad 1 ml

INDICATIONS

Arthritis, gastrointestinal and respiratory infections caused by oxytetracycline sensitive micro-organisms, like Bordetella, Campylobacter, Chlamydia, E. coli, Haemophilus, Mycoplasma, Pasteurella, Rickettsia, Salmonella, Staphylococcus and Streptococcus spp. in calves, cattle, goats, and sheeps.

DOSAGE

For subcutaneous or intramuscular administration.
1 ml per 10 - 20 kg body weight for 3-5 days. 2 ml for young animals.

PACKING

UNIOX 10 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Injectables
Product Code	UNII009

Unisan 10

Treats prophylaxis, worm infections and flukes.

COMPOSITION

Each 1 ml contains:
Closantel 100 mg
Solvents ad 1 ml

INDICATIONS

Prophylaxis and treatment of worminfections in calves, cattle, goats and sheeps like Fasciola, Hypoderma and Oestrus spp. Although it is a veteran anthelmintic, its use is increasing because it is often a valid alternative where resistance of gastrointestinal roundworms or flukes is a problem.

DOSAGE

For subcutaneous administration.
1 ml per 20-40 kg body weight for 3-5 days.

PACKING

UNISAN 10 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Liquid
Category	Injectables
Product Code	UNII010

Unispectin 15

Solution for gastrointestinal & respiratory infections.

COMPOSITION

Each 1 ml contains:
Spectinomycin base 100 mg
Lincomycin 50 mg
Solvents ad 1 ml

INDICATIONS

Gastrointestinal and respiratory infections caused by lincomycin and spectinomycin sensitive micro-organisms, like Campylobacter, E. coli, Mycoplasma, Salmonella, Staphylococcus, Streptococcus and Treponema spp., in calves, goats, and sheep.

DOSAGE

For intramuscular administration.
1 ml per 20 kg body weight for 3-5 days.

PACKING

UNISPECTIN 15 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Liquid
Category	Injectables
Product Code	UNII011



Unisudin 333

Treats infections by sulfadimidine sensitive microorganisms.

COMPOSITION

Each 1 ml contains:
Sulfadimidine sodium 333 mg
Solvents ad 1 ml

INDICATIONS

Gastrointestinal, respiratory and urogenital infections, mastitis and panaritium caused by sulfadimidine sensitive micro-organisms, like Corynebacterium, E. coli, Fusobacterium necrophorum, Pasteurella, Salmonella and Streptococcus spp., in calves, cattle, goats, and sheep.

DOSAGE

For subcutaneous or intramuscular administration.
1 ml per 5 kg body weight for 3-5 days.

PACKING

UNISUDIN 333 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Liquid
Category	Injectables
Product Code	UNII012



Unidexam

Pronounced anti-inflammatory and antipyretic properties

COMPOSITION

Each 1 ml contains:
Dexamethasone base 2 mg
Solvents ad. 1 ml

INDICATIONS

Unidexam has pronounced anti-inflammatory and antipyretic properties. It is indicated for the treatment of primary bovine ketosis and as an anti-inflammatory agent in the bovine and equine. It can be used in the management of various rheumatic, allergic, dermatologic, and other diseases known to be responsive to anti-inflammatory corti-costeroids. It can also treat of acute musculoskeletal inflammations.

DOSAGE

For intramuscular or intravenous administration:
2 ml per 50 kg of body weight.

PACKING

UNIDEXAM is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Liquid
Category	Injectables
Product Code	UNII013



Unalgin 50

Analgesic, antipyretic and antirheumatic injectable solution

COMPOSITION

Each 1 ml contains:
Analgin 500 mg

INDICATIONS

Unalgin 50 is indicated for the relief of pain in colics and other spastic conditions of the abdominal organs; acute and chronic arthritis, rheumatic conditions of muscles and joints, neuritis, neuralgia, and tendovaginitis. It can also be indicated for treatment for muscular pain, rheumatism, fever diseases and hernial pain in animals. It has strong fever relieving effects, anti-inflammatory and analgesic effect.

DOSAGE

For intramuscular, intravenous, or subcutaneous administration.
15 ml per 50 kg of body weight.

PACKING

UNALGIN50 is packed in 100ml injection container.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Liquid
Category	Injectables
Product Code	UNII014



INJECTION

Uni-Linco P44

Reduce the severity of mycoplasma pneumonia.

COMPOSITION

Each 1 kg contains:
Lincomycin Hydrochloride 44gm

INDICATIONS

- Increases weight gain.
- Improves feed conversion. Controls and treats of necrotic enteritis.
- Improves FCR. Dry the wet dropping of poultry.
- Highly effective for growth promotion, improvement of feed efficiency and prevention and treatment of mycoplasma pneumonia.

DOSAGE

Chicken: 500-1000 gm /each 1 MT finish feed, 1-3 weeks continuously.

PACKING

UNI-LINCO P44 is packed in 25kg bags.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Feed Additives
Product Code	UNIFA001

Uni-Toxin

The efficient and reliable toxin-binder.

COMPOSITION

UNI-TOXIN are manufactured with a mixture of Propionic acid and its salts(calcium, sodium and ammonium propionates) in synergic proportions to achieve the best effect of each one of its components and mixing with is a synergistic combination of zeolites.

INDICATIONS

- Protect against fungal contamination throughout the production process, transport and storage.
- Prolong the shelf life and retain the nutritional properties of food.
- Prevents the occurrence of toxic secondary metabolites, called mycotoxins, which are responsible for the deterioration of the immune system of animals.

DOSAGE

2% inclusion in all feeds.

PACKING

UNI-TOXIN is packed in 25kg bags.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Feed Additives
Product Code	UNIFA002

Uniphos

Essential for better egg production and eggshell quality.

COMPOSITION

Phytase (Equivalent) to 2,500 FTU/g

INDICATIONS

- Increases phosphorus availability from feed grains.
- Substantially reduces incorporation level of DCP bringing down the cost of feed – Improves egg shell quality.
- Improves availability of phytate bound amino acids and minerals.

DOSAGE

500gm / each 1 MT of finish feed, 1-3 weeks continuously.

PACKING

UNIPHOS is packed in 25kg bags.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Feed Additives
Product Code	UNIFA003

Uni-Tylo P10%

For mycoplasma and respiratory diseases plus growth promoter.

COMPOSITION

- Tylosin phosphate equivalent to Tylosin base (Not less than 80% of tylosin is Factor A 10.0 g)
- Excipients up to 100.0 g

INDICATIONS

For the prevention and treatment of infections caused by tylosin-sensitive pathogenic micro-organisms.

- Poultry
 - As an aid in the control of mycosplasmosis;
 - For improved rate of mass gain and feed efficiency in broilers;
 - For increased egg production and feed efficiency in layers.
- Cattle
 - For the prevention of liver abscesses (caused by Fusobacterium necrophorum and Arcanobacterium pyogenes) in calves for fattening.
 - For improved rate of mass gain and feed efficiency.

DOSAGE

500-1000 gm/each 1 MT of finish feed, 1-3 weeks continuously.

PACKING

UNI-TYLO P10% is packed in 25kg bags.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Feed Additives
Product Code	UNIFA004

Unipharma DCP 18%

Essential for bones development and immune system.

COMPOSITION

Each 1 kg contains:	
Phosphorus (P) min	18%
Calcium (Ca) min	23%
Fluoride (F) max	0.18% wt
Heavy Metals (Pb) max	30mg
Arsenic (As) max	20mg
Cadmium (Cd) max	10mg
Mercury (Hg) max	0.1mg
pH	5-7

INDICATIONS

- Development of stonger animal bones.
- Better functioning of the animals' immune system.
- Regulation of metabolism by feed phosphates.

DOSAGE

500gm / each 1 MT of finish feed, 1-3 weeks continuously.

PACKING

DCP 18% is packed in 25kg bags.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Feed Additives
Product Code	UNIFA005

Uni-Chol 60

For mycoplasma and respiratory diseases plus growth promoter.

COMPOSITION

- Choline Chloride 60%
- Carrier Corn Cob – Particle Size (Pass 800um Mesh) >= 90%

INDICATIONS

- Prevention of conditions such as perosis and liver enlargement in chicks.
- Act as lipotropic agent and prevents the abnormal fatty infiltration in liver (Fatty Liver Syndrome).
- Ensures proper metabolism of the body & effective utilization of the nutrients.
- Ensures proper functioning of the animals' nervous system.

DOSAGE

500gm / each 1 MT of finish feed, 1-3 weeks continuously.

PACKING

UNI-CHOL 60 is packed in 25kg bags.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Feed Additives
Product Code	UNIFA006

Unicid

Broad spectrum mould inhibitor & destroy fungus and spores.

COMPOSITION

UNICID contains Propionic acid, Calcium propionet, Formic acid, Sorbic acid, and as active career Hydrated Magnesium Aluminosilicate.

INDICATIONS

- Acts as a Toxin binder and destroy Mycotoxin and fungues from poultry feed.
- Prevents bio-synthesis of mycotoxin in feed.
- Causes bio-nutralization of Mycotoxin when feed contain Mycotoxin.
- Increases growth rate of poultry and egg production in layer.
- Absorb moisture from feed & keep feed in dry condition.
- Promotes enzymatic activity & liver function for detoxification.

DOSAGE

500gm / each 1 MT of finish feed, 1-3 weeks continuously.

PACKING

UNICID is packed in 500gm sachets, 5kg pails and 25kg bags.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Feed Additives
Product Code	UNIFA007



Premix

Various vitamins and trace minerals premixes.

We provide services for combination of different compositions of vitamins and minerals for clients with special request.

For more information, kindly contact us via info@unipharma.com.my

Form	Powder
Category	Feed Additives
Product Code	-



FEED ADDITIVES

Unidine

A multifaceted action with controlled iodine releasing complex.

ACTIVE INGREDIENTS

Alkyl Phenoxy Polyglycol Ether Iodine complex, providing 1.8% available Iodine.

INDICATIONS

UNIDINE is a controlled Iodine releasing complex which has a multifaceted action as a disinfectant as well as a deodorant. By keeping good sanitary conditions UNIDINE protects the birds from spread of infectious diseases like Fowl Cholera, N.D., Colibacillosis, C.R.D., Salmonellosis, Fowl Coryza, Aspergillosis.

DIRECTIONS OF USE

Empty Shed	200ml per 10L of water for every 1000 sq. ft. area of shed
Plastic trays & equipment	20ml in 1L of water
Drinking water sanitation	1ml in 5L of water
Summer spraying	2ml in 10L of water
Foot baths	20ml in 1L of water
Incubator/Hatcher	10ml in 1L of water
Hatching eggs	10ml in 1L of water
Outside vehicles	10ml in 1L of water
Outside farm premises	10ml in 1L of water

PACKING

UNIDINE is packed in 5L jerry cans.

PRECAUTIONS

- Keep out of reach of children.
- Store in a dry and dark place.
- Medicated drinking water should be replaced every 24 hours.

Form	Liquid
Category	Disinfectant
Product Code	UNID001



D-Control

An effective maintenance of animal health and hygiene.

ACTIVE INGREDIENTS

Each 1L contains:	
Alkylbenzyl dimethyl ammonium	30gm
Glutaraldehyde	50gm
Formaldehyde	120gm

INDICATIONS

D-Control has broad spectrum activity against bacteria, viruses and fungi of importance in the effective maintenance of animal health and hygiene. It is designed as a terminal disinfectant for use after surfaces have been thoroughly cleaned and rinsed to remove all gross soil. D-Control provides control over pathogenic bacteria, mycoplasma, viruses and fungi and their related diseases.

DIRECTIONS OF USE

Disease outbreaks	5L per 200L of water
Disinfecting farm equipment and tools	5L per 100L of water
Disinfecting boot and wheel dips	5L per 100L of water
Fogging	5L + 20L of water per 1000m ³

PACKING

D-CONTROL is packed in 5L jerry cans.

PRECAUTIONS

- Keep out of reach of children.
- Store in a dry and dark place.
- Avoid contact with skin and clothing.

Form	Liquid
Category	Disinfectant
Product Code	UNID002



DISINFECTANT

Uni-Chem

A high-level saturated dialdehyde for heat-sensitive equipments.

ACTIVE INGREDIENTS

Dilute solution of glutaraldehyde 2%

INDICATIONS

It can cause a series of reactions, resulting death of microorganisms. Through the combination between free radicals and the cell surface or internal amino acid protein or enzyme. This product reaction rate with the protein. The enzyme depend on the solution pH, it has strongest action when pH at 7.5-8.5. It can kill bacteria and spores, viruses, 2-10 times stronger than formaldehyde.

DIRECTIONS OF USE

Drinking disinfection	1:2000 dilution
Hatching egg disinfection	1:350 dilution
Withing animal disinfection	1:350 dilution
Environmental disinfection	1:400 dilution

PACKING

UNI-CHEM is packed in 5L jerry cans.

PRECAUTIONS

- Keep out of reach of children.
- Store in a dry and dark place.

Form	Liquid
Category	Disinfectant
Product Code	UNID003



Uniclean

Efficiently removes white depositions from various surfaces.

ACTIVE INGREDIENTS

Blend of descaling inorganic acids, nonionic detergents and corrosion inhibitor.

INDICATIONS

UNICLEAN efficiently removes white depositions arising due to calcium and magnesium salts from all surfaces like plastic, PVC, galvanized iron, mild steel, aluminium and stainless steel. The white scales (salt depositions) are responsible for reduced flow rate through pipelines, nipples and nozzles. Besides, it leads to development of bacterial slime causing contamination problems. UNICLEAN being a fast acting penetrates through the scale to give a clean surface, which in turn can be disinfected.

DIRECTIONS OF USE

Hatchery machine accessories	100 ml per 1L of water
Detachable plastic or metal equipment	20-30 ml per 1L of water
Drinking water pipelines and recirculating systems in saunas	10-20 ml per 1L of water
Nipples, nozzles, foggers in poultry and other operations	40 ml per 1L of water
Boilers and other heating systems	20 ml per 1L of water

PACKING

UNICLEAN is packed in 5L jerry cans.

PRECAUTIONS

- Avoid direct contact with skin, mucus membrane and clothing.
- Keep out of reach of children.
- Store in a dry and dark place.

Form	Liquid
Category	Disinfectant
Product Code	UNID004



Growfast



For fast growth & more body weights.

COMPOSITION

Carbohydrates, Proteins, Fats, Calcium, Phosphorus, Vitamin D3 in appropriate proportions.

INDICATIONS

- Increases growth and body weights.
- Binds the powders quickly and completely.
- Prevents wastage of powders / feed.
- Not soluble in water.
- Posses rich nutrients.

DOSAGE

2-4 kg per ton / or as advised by an aqua consultant.

PACKING

GROWFAST is packed in 500gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Fish Products
Product Code	UNIF001

Uni C & E



Vitamin C and E supplements for the aqua industry.

COMPOSITION

Each 100gm contains:

Vitamin C 15,000 mg
Vitamin E 1,000 mg
Carrier Q.S.

INDICATIONS

- Prevents and controls the stress due to various reasons.
- Keeps the animals active and energetic phase.
- Helps to grow fast and gain body weights.
- Better collagen formation and attain strong muscles for swimming.
- Acts as best immuno modulator and makes the animals fit for fight against diseases situation.
- Acts as best antioxidant and develops the new tissues rapidly.
- Helps for more survivals.

DOSAGE

At culture: 2gm/kg of pellets

At feed plant: 2kg/ton of feed continuously (or) as advised by a fish consultant.

PACKING

UNI C & E is packed in 200gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Fish Products
Product Code	UNIF002

Uni-Cipro Cure



Antibiotic feed additives for the treatment of fish diseases.

COMPOSITION

Each 1kg contains:

Ciprofloxacin	50gm
Vitamin A	100,000 I.U.
Vitamin D3	20,000 I.U.
Vitamin C	1,000 mg

INDICATIONS

Helps to prevent and treat the following diseases of fish:

- | | |
|---------------------------|----------------------------|
| • Edwardsiella septicemia | • Streptococcus septicemia |
| • Vibriosis | • Aeromonas disease |
| • Pseudomonas septicemia | • Bacterial Gill disease |
| • Furunculosis | • Columnarian disease |

DOSAGE

In fish feed: 200 grams per one metric ton of Biomass or fish weight 3 days or as advised by a fish consultant.

PACKING

UNI-CIPRO CURE is packed in 200gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Fish Products
Product Code	UNIF003

Uni-Flo Cure



Antibiotic feed additives for the treatment of fish diseases.

COMPOSITION

Each 1kg contains:

Florfenicol	25gm
Vitamin A	100,000 I.U.
Vitamin D3	20,000 I.U.
Vitamin C	1,000 mg

INDICATIONS

Helps to prevent and treat the following diseases of fish:

- Streptococcus septicemia
- Vibriosis
- Edwardsiella tarda
- Furunculosis

DOSAGE

In fish feed: Mix 200 grams per ton of body weight in complete feed and administer once a day for 5 consecutive days or as advised by a fish consultant.

PACKING

UNI-FLO CURE is packed in 200gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Fish Products
Product Code	UNIF004

Uni-Oxy Cure



Antibiotic feed additives for the treatment of fish diseases.

COMPOSITION

Each 1kg contains:
Oxytetracycline 200 gm
Vitamin A 100,000 I.U.
Vitamin D3 20,000 I.U.
Vitamin C 1,000 mg

INDICATIONS

Helps in prevention and treatment of following fish diseases:

- Vibriosis
- Furunculosis
- Ulcer disease
- Pseudomonas septicemia
- Streptococcal infection
- Aeromonas disease
- Bacterial Gill disease
- Red spot disease
- Edwardsiellosis

DOSAGE

In fish feed: Mix 200gm per ton of body weight in complete feed and administer once a day for 3-7 consecutive days.

PACKING

UNI-OXY CURE is packed in 200gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Fish Products
Product Code	UNIF005

Uni-T Gas Stop



Cleans water-toxic by absorbing gases out from fish ponds.

COMPOSITION

Natural zeolite sourced from natural rocks of zeolites.

INDICATIONS

- Absorbs toxic gases like Ammonia, Hydrogen Sulphide, Carbon monoxide etc., from pond water by its unique molecular pore structures.
- Neutralizes the absorbed toxic Ammonia by Ion Exchanging the free Ammonium.
- Absorbs suspended solids and other contaminants and makes the water cleaner.
- Controls bad/noxious odors from pond water by neutralizing the noxious Ammonia.
- Helps to improve dissolved oxygen and phytoplankton levels.
- Makes the animals fresh by relieving stress caused due to toxic gases and other pollutants.

DOSAGE

For 1000m² water:
Dose for Pond preparation: 5 kg
Routine Dose during culture period: 2.5-5 kg
Dose during high risk conditions: 5-10 kg

PACKING

UNI-T GAS STOP is packed in 500gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.



Form	Powder
Category	Fish Products
Product Code	UNIF006

Uni-T Stop +



Functions as toxin-binder, mould inhibitor and liver stimulant.

COMPOSITION

Blend of Organic Acids & Hydrated Sodium, Alumino silicates. Silicon dioxide, aluminum oxide, iron oxide, calcium oxide, magnesium oxide, oxides of sodium, potassium oxide.

INDICATIONS

- Neutralises Aflatoxins (mycotoxins)
- Selectively binds aflatoxins, B1, B2, G1 & G2 and does not bind vitamins and trace minerals.
- By reduction in pH lowers the growth of bacteria.
- Free flowing. For blinding and neutralizing of mycotoxins. For inhibition of mold growth.
- For better F.C.R. For increased productivity. Cost effectiveness.
- UNI-T STOP + is uniformly blended to overcome the hazardous effect of mycotoxins.
- Reduces damage to the liver and intestinal tract membrane caused by the presence of mycotoxins in feed.
- Reduces mycotoxin related fertility problems.
- Reduces lesions and inflammations caused by trichothecenes.
- Stimulates the immune system to compensate for the suppression caused by various mycotoxins.

DOSAGE

- In fish feed:
- Moisture content up to 15% (in normal season)
1.5 to 2 kg. per ton of feed.
 - Moisture content above 15% (in rainy season)
2.5 kg per ton of feed.

PACKING

UNI-T STOP + is packed in 500gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Fish Products
Product Code	UNIF007



Uni-Vita M+AM 100



Premix of various vitamins & minerals for fish.

COMPOSITION

Each 1kg contains:

Vitamin A	1,500,000 I.U.	Cobalt	100 mg
Vitamin D3	300,000 I.U.	Iodine	80 mg
Vitamin E	8,000 mg	Selenium	80 mg
Vitamin C	16,000 mg	Inositol	8,000 mg
Vitamin B1	1,000 mg	L-Lysine	2,000 mg
Vitamin B2	1,000 mg	DL Methionine	2,000 mg
Vitamin B6	8,00 mg	Choline Chloride	5,000 mg
Magnesium	4,000 mg	Calcium Pantothenate	2,500 mg
Manganese	6,000 mg	Niacin	6,000 mg
Zinc	6,000 mg	Biotin	50 mg
Iron	5,000 mg	Anticaking & Antioxidant carrier up to 1000 gm	
Copper	1,000 mg		

INDICATIONS

- Helps for better growth, health, immunity etc.
- Improves digestion & feed efficiency.

DOSAGE

In fish feed: At Culture: 3 gram / kg of pellets (or) as advised by a fish consultant.
At Feed Plant: 2 – 3 kg / ton of feed continuously or
as advised by an aqua consultant.

PACKING

UNI-VITA M+AM 100 is packed in 500gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Fish Products
Product Code	UNIF008



Uni-Vita AM 101



Functions as liver stimulant and growth promoter.

COMPOSITION

Each 1kg contains:

Vitamin A	100,000 I.U.	L-Lysine	5,000 mg
Vitamin D3	20,000 I.U.	DL Methionine	5,000 mg
Vitamin E	1,800 mg	Choline Chloride	5,250 mg
Vitamin C	10,000 mg	Excipients up to	1 kg

INDICATIONS

- Activates and stimulates the function of liver.
- Helps for better digestion, absorption and assimilation of nutrients.
- Corrects the liver disorders due to toxic effects.
- Increases appetite in fish.
- Helps for fast growth and body weights.
- Prevents & controls stress of all kinds.
- Helps for better skeleton formation.
- Helps to heal the injuries if any on external parts.
- Helps to prevent and control cramping or paralysis postures of shrimp/prawn.

DOSAGE

In fish feed:

At culture: 3-5 gm per kg of pellets continuously (or)
as advised by a fish consultant.

At plant: 2 kg / ton of feed continuously.

PACKING

UNI-VITA AM 101 is packed in 500gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Fish Products
Product Code	UNIF009



Uni-Vita M+AM 102



Premix of various vitamins & minerals for fish.

COMPOSITION

Each 1kg contains:

L-Lysine	2.000 gm	Ferrous sulphate	10.000 gm
DL-Methionine	2.000 gm	Copper sulphate	1.200 gm
Vitamin A	1.000 MIU	Manganese sulphate	6.000 gm
Vitamin D3	0.200 MIU	Zinc sulphate	6.000 gm
Vitamin E	5.000 gm	Cobalt sulphate	0.004 gm
Vitamin K3	1.000 gm	Potassium iodide	0.040 gm
Vitamin B1	1.000 gm	Sodium selenite	0.040 gm
Vitamin B2	1.000 gm	Inositol	10.000 gm
Vitamin B6	1.000 gm	Choline Chloride	5.000 gm
Niacin	10.000 gm	Calcium D Pantothenate	3.000 gm
Folic acid	0.800 gm	Anticaking & Antioxidant Carrier up to	1 kg
Biotin	0.040 gm		

INDICATIONS

- Covers vitamin & mineral deficiency and related symptoms.
- Helps for better growth, health, immunity etc.
- Improves digestion & feed efficiency.

DOSAGE

In fish feed:

At Culture: 3 gram / kg of pellets.

At Feed Plant: 2 – 3 kg / ton of feed continuously
or as advised by an aqua consultant.

PACKING

UNI-VITA M+AM 102 is packed in 500gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Fish Products
Product Code	UNIF010



Uni-Vita M+AM 103



Premix of various vitamins & minerals for fish.

COMPOSITION

Each 1kg contains:

Vitamin A	100,000 I.U.	Vitamin B12	100 mcg	Zinc	1,250 mg
Vitamin D3	10,000 I.U.	L-Lysine	1,000 mg	Cobalt	100 mg
Vitamin E	100 mg	DL Methionine	1,000 mg	Sodium	1,000 mg
Vitamin C	1,000 mg	Choline Chloride	1,000 mg	Potassium	1,000 mg
Vitamin B1	50 mg	1,3 Beta Glucans	1,000 mg	Selenium	50 mg
Vitamin B2	50 mg	Phosphorus	5,000 mg	Magnesium	1,000 mg
Vitamin B6	50 mg	Manganese	1,250 mg	Iron	500 mg

INDICATIONS

- Covers vitamins and minerals deficiencies.
- Improves feed consumption and conversion.
- Controls all nutritional deficiency symptoms & leisons.
- Helps for better FCR and skeleton formation.
- Improves health, immunity, growth and body weights.
- Stress tolerance power increases and helps for more survivals and early crop.

DOSAGE

In fish feed:

At Culture: 3 gram / kg of pellets (or) as advised by a fish consultant.

At Feed Plant: 2 – 3 kg / ton of feed continuously (or)
as advised by an aqua consultant.

PACKING

UNI-VITA M+AM 103 is packed in
500gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Fish Products
Product Code	UNIF011



Uni-Vita M+AM 104



Premix of various vitamins & minerals for fish.

COMPOSITION

Each 1kg contains:

Vitamin A	2,000,000 IU	Cobalt	100 mg
Vitamin D3	400,000 IU	Iodine	100 mg
Vitamin E	10,000 mg	Selenium	100 mg
Vitamin C	20,000 mg	Inositol	10,000 mg
Vitamin B1	1,200 mg	L-Lysine	2,000 mg
Vitamin B2	1,400 mg	DL Methionine	2,000 mg
Vitamin B6	1,200 mg	Choline Chloride	10,000 mg
Manganese	6,000 mg	Calcium Pantothenate	3,000 mg
Zinc	8,000 mg	Niacin	8,000 mg
Iron	10,000 mg	Biotin	50 mg
Copper	1,000 mg	Anticaking & Antioxidant carrier	up to 1000 gm

INDICATIONS

- Covers vitamin & mineral deficiency and related symptoms and leisons.
- Helps for better growth, health, immunity etc.
- Improves digestion & feed efficiency.

DOSAGE

In fish feed:

At Culture: 3 gram / kg of pellets (or) as advised by a fish consultant.

At Feed Plant: 1 – 2 kg / ton of feed continuously
or as advised by an aqua consultant.

PACKING

UNI-VITA M+AM 104 is packed in
500gm sachets.

PRECAUTIONS

- For animal use only.
- Store in a dry and dark place.
- Avoid direct heat and sunlight.

Form	Powder
Category	Fish Products
Product Code	UNIF012





HQ Office:

3-8-2, 1st Floor, No.14, Persiaran Anggerik Vanilla, Sinaran Satu, Kota Kemuning,
Seksyen 31, 40460, Shah Alam, Selangor Darul Ehsan, Malaysia

Factory:

A57, Jalan FZ2-P3, KS12, Klang, Selangor Darul Ehsan, Malaysia

Tel: +603-5131-4471 • Fax: +603-5120-1471 • Email: info@unipharma.com.my

www.unipharma.com.my